CITY OF SACRAMENTO 1231 I Street, Sacramento, CA 95814

0417815 Permit No:

Insp Area: Thos Bros:

257-C5

Site Address: 1562 FALETTO AV SAC

Sub-Type:

NSFR

Parcel No:

201-0810-063

NORTHPOINT PARK VIL. 22 LOT 1

Housing (Y/N):

N

CONTRACTOR

<u>OWNER</u>


ARCHITECT

LENNAR RENAISSANCE INC 2240 DOUGLAS BL ROSEVILLE, CA 95661

NORTHPOINTE NORTH LLC 2240 DOUGLAS BL ROSEVILLE, CA 95661

the work for which this permit is issued (S	ENCY: I hereby affirm under penalty of perject. 3097, Civ. C).	ury that there is a construction	lending agency for the performance of
Lender's Name	Lender'sAddr	ess	
(commencing with section 7000) of Divisi	ECLARATION: I hereby affirm under perion 3 of the Business and Professions Code and	my license is in full force and	Affect.
License Class License Number	<u>732348</u> Date Conf	ractor Signature // V) ///	Dull
reason (Sec. 7031.5, Business and Profess prior to its issuance, also requires the appl License Law (Chapter 9 (commencing wit	ION: I hereby affirm under penalty of perjury sions Code; any city or county which requires a icant for such permit to file a signed statement th Section 7000) of Division 8 of the Business lation of Section 7031.5 by any applicant for a	permit to construct, alter, import that he or she is licensed pursuant and Professions Code) or that	rove, demolish, or repair any structure, ant to the provisions of the Contractors he or she is exempt therefrom and the
sale (Sec. 7044, Business and Professiona who does such work himself or herself or	y employees with wages as their sole compensa I Code: The Contractors License Law does not through his/her own employees, provided that so n one year of completion, the owner-builder will	apply to an owner of property such improvements are not into	who builds or improves thereon, and
l, as owner of the property, am exc The Contractors License Law does not applicensed pursuant to the Contractors License	clusively contracting with licensed contractors to ly to an owner of property who builds or improse Law).	o construct the project (Sec. 7 ves thereon, and who contracts	044, Business and Professions Code: 6 for such projects with a contractor(s)
I am exempt under Sec	B & PC for this reason:	DIAG	A STATE OF THE STA
Date	B & PC for this reason: Owner Signature	SACE	
measurements and locations shown on the private agreement relating to permissible comprovement or the violation of any private	IT, the applicant represents, and the city relies application or accompanying drawings and the prohibited locations for such improvements, agreement relating to location of improvements distate that all information is correct. I agree to	An the representation of the anat the improvement to be con This building partail does no	pplicant, that the applicant verified all structed does not violate any law or t authorize any illegal location of any
building construction and herby authorize r	epresentative(s) of this city to enter upon the abo	ovementioned property for insp	y ordinances and state laws relating to ection purposes.
Date $\int Z + C \cdot 3 + C \cdot 4$	Applicant/Agent Signature	1/1/1/1/	<u>((</u>
WORKER'S COMPENSATION D I have and will maintain a certificate performance of work for which the permit is	ECLARATION: I hereby affirm under pena te of consent to self-insure for workers' compet is issued.	lty of perjury one of the follow isation as provided for by Sec	ing declarations: tion 3700 of the Labor Code, for the
I have and will maintain workers' cothis permit is issued. My workers' compensations	ompensation insurance, as required by Section sation insurance carrier and policy number are:	3700 of the Labor Code, for th	e performance of the work for which
Carrier OLD REPUBLIC INS.	CO. Policy Number M	IWC10845400	Exp Date 11/01/2004
(This section need not be completed	if the permit is for \$100 or less) I certify that is to become subject to the workers' compensation	n laws of California and agree	for which this permit is issued, Ishall that if I should become subject to the
workers' compensation provisions of Section	n 3700 of the Labor Code, I shall forthwith com Applicant Signature	ply with these provisions.	-

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.





INSULATION CONTRACTORS ASSOCIATION OF AMERICA

INSULATION CERTIFICATE

56851

1321 DUKE STREET, SUITE 303 • ALEXANDRIA, VA 22314 • (703) 739-0356

THIS IS TO CERTIFY THAT INSULATION HAS CURRENT ENERGY REGULATIONS, CALIFORNIA	BEEN INSTALLED IN CON A ADMINISTRATIVE CODE, T	IFORMANCE WITH TITLE 24, STATE OF
CALIFORNIA, IN THE BUILDING LOCATED AT:		
WINNEREST HOME LO		
STREET 1562 FALEND AVE	CITY	<u> </u>
EXTERIOR WALLS:		R
MANUFACTURER	THICKNESS/TYPE	_ VALUE
CEILINGS:		B/
MANUFACTURER	THICKNESS/TYPE	VALUE _38
		R /
BLOWN IN: MANUFACTURER	MINIMUM THICKNESS // 34	R- _ VALUE
	1110111200	
SQUARE FOOTAGE COVERED 164	NUMBER OF BAGS USED	26
SQUARE FOOTAGE COVERED	NOMBERTON BROS SSEE	B-
FLOORS: MANUFACTURER	TUICKNESS/TVPE	
	MICKNESS/THE	
SLAB ON GRADE: MANUFACTURER	THICKNESS/TVDE	
MANUFACTURER	THICKNESS/TITE	_ */
WIDTH OF INSULATION	INCHES	
		R-
FOUNDATION WALLS: MANUFACTURER	THICKNESS/TYPE	VALUE
MANUFACTURER	THIORNESO/THE	
GENERAL CONTRACTOR		
CALIFORNIA CONTRACTORS LICENSE #		
CALIFORNIA CONTRACTORS LICENSE #	[DATE
		
	— TITLE	
SIGNATURE	,	•
INSULATION CONTRACTOR ARCADE IN	SULATION	
CALIFORNIA CONTRACTORS LICENSE #815286		,
NEVADA CONTRACTORS LICENSE #0055201	[DATE 6 -15-05
A. GOXDEN	TNSTA!	lex
SIGNATURE	TITLE	

(Page 1 of 13)

Site Address

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HVAC SYS Heating Equ Equip. Type (pkg.		# of Identical Systems	Efficiency (AFUR, etc.)	Duct Location	Duct or Piping R-raine	Heating Testi (Bin/is)	Realing Capacity
urnace	310JAJ0360/0		.80	Attic	4.2	21/20	31,000
Cooling Bqu Bquip. Type (pkg.	CEC Certified Compressor, Unit Mfr Name and	# of Identical Systems	Efficiency (SBER, etc.)	Duct Location (attic_ctc.)	Duct R-value	Cooling Load (Bin'ir)	Cooling Cepacity (Ginstri
heat pump) D L I L V C	Model Number Bryant 537ANXU3U		14.0	Atic	4.2	22918	29800
1. ≥ reads	greater than or equal to	•			!1	مسا سوئیوم کا اورا	+ 4n er mere

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) officient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

alux (Signature, Date

Deal Sheet Metal, Inc., installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

WATER HEATING SYSTEMS:

Heater Type	CEC Certified Mfr Name & Model Number	Distribution Type (Std; - Point-of-Use)	If Recir- culation, Control Type	# of Lientical Systems	Rated ¹ Input (kW or Bts/tr)	Tank Vojume (gallons)	EF, R5)	Strader ² Loss (%)	Expensel Seculation R-value
									

² For small gas storage (rated input of less than or equal to 75,000 Bm/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Bm/hr), list Recovery Efficiency, Standby Loss and Rated lapst. For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.
3, R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signsture is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the source said requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department

HERS Provider (if applicable) Building Owner at Occupancy

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HVAC SYSTEMS:

Heating Equation Equip. Type (pkg. heat pump)	CEC Certified Mfr Name	# of Identical Systems	Efficiency (AFUE, etc.) ¹ (SCF-1R value)	Duc! Location (artic, etc.)	Oper or Piping R-value	Heating Lood (Bluchr)	Heating Descrip (85,20)
							particular (1997)
Cooling Equip. Type (pkg.	uipment CEC Certified Compressor Unit Mtr Name and Model Number	# of Identical Systems	Efficiency (SEER, etc.)' (MF-1R value)	Duc: Location tartic, etc.)	Duct Royling	Cooling Load Biolist	্তিকার্ড নাই গোঁহাক্তরণাড় ভৌশাদেশিয়ে
heat pump)							

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

WATER HEATING SYSTEMS:

	11.54		Distribution	If Recir-	# of	Rated ^a Input (kW	Tank Volume	Effi- comey*	Standby	External mediation
	Heater	CEC Certified Mfr Name & Model Number	Type (Std. Point-of-Use)	culation. Control Type	ldentical Systems	or attivity)	(garlions)	(EF. RE	Loss Per	1-valor 1-20
ا کے نہیں	Next Gas	HIVRSOF	- 711) -	NA	1	40,000	40	Jo 2	EIA_	2-20
" {	NAT GAV	41VC40F				· · · · · · · · · · · · · · · · · · ·		-		

For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pamp water heaters. Visi Emergy Factor For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Scout.

For instantaneous gas water heaters, list Recovery Efficiency and Rated Input.

3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices from the Appliance Efficiency Regulations or Part 6). where applicable.

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department

HERS Provider (if applicable) **Building Owner at Occupancy**

-,		FICATE	المناج المبد		(Page 2	6 1 0º	117-015
62 ra	Tetto A	V				Perolt Number	
ires						Lateral Lemman	
TRATIONA	HAZING:		•				
INGLANCE	معسوسيهي			Total			
		The stand		(Jacquity of Like		Exterior Shading	
•	Product U-Poster bi	Product SHOC ¹ (s	# of	Product	Square	Device or Overland	Competit/Lecation/
hamalland No	CF-12 valuet	CILIR THENY	_Person	(Catherine)			
Find Mast	CTD)	0.34					
TABE X	D 233	031					
		034					
		0.34		•			
	0.35	₹					
			-				
							· · · · · · · · · · · · · · · · · · ·
					-		
						,	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·			-			
		-					
					•		,
		-					······································
	or must be less than		has for	s CF-IR. In	setalled SH	GC must be lose of the CF-1R. Al	than or equal to values than or equal to values tamatively, installed
ns CP-1R, or a lightest svereg	or must be less than a shading device (& a U-Pastors for the	er squal to ve ductor or över total fanastrat	ikang from kang) is ion area	s CF-IR. In installed as are less that	estation SHC specified o or equal to one signature	GC must be less in the CF-1R. Al ovelues from Ci	than or equal to values temetively, installed 7-13.
ns CP-1R, or elighted everage the undersign station; 2) is e	or must be less then a shading device (so a U-Pestors for the soul, verify that the equivalent to or has exhading the equivalent as expends the epiper	or equal to verificar or everification of everification of every U-Per plants requires	has for hang) is los ares lacing to stor end i	s CF-IR. In installed as are less that shows the comments of t	specified SHO specified o or equal to my signatur thun that a my Stendars rad devices	GC must be less in the CF-1R. All values from Ci re: 1) is the ach specified in the o als for residentia (from Part 6), wi	than or equal to values itematively, installed 7-1R. as! Smestration produc- ertificate of compliance t buildings; and 3) the sere applicable.
ns CP-1R, or i ightest sverage the undersign statistic 2) is o	or must be less then a shading device (so a U-Pestors for the soul, verify that the equivalent to or has exhading the equivalent as expends the epiper	or equal to verificar or everification of everification of every U-Per plants requires	has for hang) is los ares lacing to stor end i	s CF-IR. In installed as are less that shows the comments of t	specified SHO specified o or equal to my signatur thun that a my Stendars rad devices	GC must be less in the CF-1R. All values from Ci re: 1) is the ach specified in the o als for residentia (from Part 6), wi	than or equal to values itematively, installed 7-1R. as! Smestration produc- ertificate of compliance t buildings; and 3) the sere applicable.
as CP-1R, or i lighted everage the undersign statiled; 2) is o Form CF-1R) reduct insets o	or must be less than a shading device (& U-Pastors for the mod, verify that the equivalent to or has exhaulted the expendent the approximation the approximation the approximation of the approximatio	or equal to verification or event of event of event of event of event or event of event or ev	has for hang) is los ares lacing to stor end i	s CF-IR. In installed as are less that shows the comments of t	specified SHe specified on or equal to my signature than that a sy Siemdan and devices	GC must be less in the CF-1R. Al o values from Ci re: 1) is the act pecified in the c is for residentia (from Part 6), wi c Subcontraptor (than or equal to values itematively, installed 7-1R. nal functivation produce existence of compliance is buildings; and 3) the sere applicable. Co. Name) QR
as CP-1R, or i lighted everage the undersign establish 2) is o Form CF-1R) reduct insets o	or must be less then a shading device (so a U-Pestors for the soul, verify that the equivalent to or has exhading the equivalent as expends the epiper	or equal to verification or event of event of event of event of event or event of event or ev	has for hang) is los ares lacing to stor end i	s CF-IR. In installed as are less that shows the comments of t	specified SHe specified on or equal to my signature than that a sy Stendard and devices Installing General	GC must be less in the CF-1R. Al o values from Ci re: 1) is the act pecified in the c is for residentia (from Part 6), wi c Subcontraptor (than or equal to values itematively, installed 7-1 R. sal fonestration produce extinuous of compliance in buildings; and 3) the sere applicable.
ns CF-1R, or i ightest sverage the undersign statistic 2) is c	or must be less than a shading device (& U-Pastors for the mod, verify that the equivalent to or has exhaulted the expendent the approximation the approximation the approximation of the approximatio	or equal to ver charles or ever total functional functi	has for hang) is los ares lacing to stor end i	s CF-IR. In installed as are less that shows the comments of t	specified SH specified on or equal to than that a spy Standard and devices installing General (OR Wind General)	of must be less in the CF-1R. All values from CI re: 1) is the act pecified in the c is for residentia (from Part 6), wit Subcontractor (Contractor (Co. 1 iow Distributor	than or equal to values itematively, installed 7-1 R. as! Smestration producestificate of compliance buildings; and 3) the sere applicable. Co. Name) OR Owner
as CP-1R, or (ighted everage the undersign intelled; 2) is o Form CP-1R) reduct inners (intelled; 2) is o policubie)	e must be less than a shading device (& U-Factors for the med, verify that the equivalent to or has submitted the court exceeds the epitt U-V-V-Signature, De	car equal to vertical functional	has for hang) is los ares lacing to stor end i	s CF-IR. In installed as are less that shows the comments of t	specified SHe specified on or equal to my signature than that a say Stendard devices that statisting General CR Wind C	or must be less in the CF-1R. As a values from CI re: 1) is the active from CI re: 1) is the active from Part 6), who was from Part 6), who was a value of the contractor (Co. 1 inw Distributor contractor (Co. 3 inw Distributor (Co. 3 inw D	than or equal to values (ternetively, installed 7-1R. tal finestration producertificate of compliance i buildings; and 3) the sere applicable. Co. Name) OR Owner (Co. Name) OR Name) OR Owner (Co. Name) OR Owner (Co. Name) OR Owner

KwikKote

Stucco System Installation Card

l Print Date: 01/05/2005

No.: 200-924731

Stucco System Trade Name: KWIK KOTE

Stucco System Manufacturer: KWIK KOTE CORP

Job Description

Tract:

AMBER LANE @ REGENCY PARK

Address:

1562 FALETTO AVENUE,

SACRAMENTO

Lot #:

0001-22

Evaluation Company

Company:

ICBO EVALUATION SERVICE, INC.

Report No.:

3607

Completed:

_ _ _ _ _ _ _

Home Builder

Company:

LENNAR RENAISSANCE/WINNCREST

Address:

1075 CREEKSIDE RIDGE DR. #100

ROSEVILLE, CA 95678

ntractor

Company:

KENYON PLASTERING, INC.

Address:

PO BOX 2077

North Highlands, CA 95678

Phone:

916/349-8191

Approved Contractor Number as issued by the Stucco Manufactuer: 1001

This is to certify that the stucco system on the building exterior at the above address had been installed in accordance with the evaluation report specified above and the manufacturer's instructions.

Signiture of authorized representative of stucco contractor

5-31-05

Date