

CITY OF SACRAMENTO

1231 I Street, Sacramento, CA 95814

Permit No: 0200365

Insp Area: 1

Thos Bros: 298 B7

Site Address: 6341 FOLSOM BL SAC

Parcel No: 008-0381-007

Sub-Type: COM

Housing (Y/N): N

CONTRACTOR

D7 ROOFING SERVICES INC
PO BOX 231126
SAC CA

OWNER

CAPITAL POWER FED CREDIT UNION
6341 FOLSOM BL
SACRAMENTO CA 95819

ARCHITECT

Nature of Work: OVERLAY EXIST. ROOFING WITH TPO 90 SQ

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name

Lender's Address

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class

License Number 746471

Date 1/10/02

Contractor Signature

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. B & PC for this reason:

Date

Owner Signature

CITY OF SACRAMENTO
PLANNING AND DEVELOPMENT SERVICES

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the above mentioned property for inspection purposes.

Date

1/10/02

Applicant/Agent Signature

[Signature]

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations: I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE FUND

Policy Number 692-2433

Exp Date 10/01/2002

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date

1/10/02

Applicant Signature

[Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

Post with permit

Sure-Weld™ (TPO) Adhered Roofing System

Underwriters Laboratories Approvals

Membrane: .045" or .060" Sure-Weld GSD Reinforced Membrane (White or Gray)

UL Class "A"			
Deck Type	Insulation(1)	Thickness	Maximum Slope
Non-Combustible and Combustible Noncombustible decks. Gypsum board must be installed beneath the insulations listed (2) (3) (4)	Carlisle Polyisocyanurate HP, HP-N or HP-W Apache Pyrox Atlas A.C. Foam II Celotex Hy-Therm AP Manville E ^{NRG} Y 2 Manville UltraGard	Any	1/4"
	APA Rated Oriented Strand Board (OSB)	7/16" Min.	3"
	Carlisle HP Recovery Board	1/2" - 3"	3/4"
	Carlisle HP Recovery Board/Polyisocyanurate	1/2" Min./Any	3/4"
	Carlisle HP Recovery Board/Polystyrene *	1/2" Min./Any	3/4"
Combustible (4) (7)	Georgia Pacific Dens-Deck Dens-Deck/Polyisocyanurate	1/4" (5) 1/4"/Any	Unlimited
	N/A	N/A	Unlimited
Structural Concrete or Approved Lightweight Insulating Concrete	N/A	N/A	N/A
UL Class "B"			
Combustible (4) (7)	Polyisocyanurate listed above	2" Min.	1/4"
	Polyisocyanurate listed above/G2 Base Sheet (6)	1-1/2" Min./G2 Base	1/4"
	HP Recovery Board/Polyisocyanurate	1/2" Min./1-1/2" Min.	3/4"
	HP Recovery Board/Polyisocyanurate/G2 Base Sheet (6)	1/2" Min./1" Min./G2 Base	3/4"
	HP Recovery Board/G2 Base Sheet (6)	1" Min./G2 Base	3/4"

* Assembly not permitted on combustible decks, even with gypsum board underneath. Dens-Deck gypsum board must be installed over polystyrene as identified in combustible deck listing.

Notes:

- (1) When multiple insulation layers are listed (i.e., HP Recovery Board/Polyisocyanurate), the insulation listed first (HP Recovery Board) is directly under the membrane.
- (2) Minimum 1/2" thick gypsum board can be a classified or unclassified material with a minimum weight of 1.84 pounds per square foot. 1/4" thick Georgia Pacific Dens-Deck or Sound Deadening Board with a minimum weight of 1.09 pounds per square foot may be substituted for 1/2" thick gypsum board.
- (3) On Retrofit/No Tearoff projects, where the existing roof is Class A rated, the gypsum board may be eliminated. Existing Class B or C rated roofs will require the use of gypsum board to achieve a Class A rating. Otherwise, the new roofing system will retain existing UL rating.
- (4) Insulation joints (bottom layer) are to be staggered a minimum of 6" from joints in wood deck.
- (5) 1/4" Dens-Deck cannot be installed directly over an existing roofing membrane.
- (6) Acceptable G2 base sheets can be one of the following: Celotex Type G2 Vaporbar GB. GAF Gafglas No. 75 Base Sheet. Manville Glasbase. Owens Corning Perma Ply No. 28 or Tamko Glass Base.
- (7) Combustible deck ratings can be used on non-combustible decks.