



SITE PLAN
MOTEL 6
7780 STOCKTON BLVD.



This set of plans and specifications must be kept on the job at all times and it is unlawful to make any changes or alterations from the same without written permission from the City of Sacramento Sign Section.

The approval of this plan and specification shall be held to permit or approve the work on City Ordinance or State Law.

All electrical work must be U.L. labeled or be of equivalent standards, N.E.C. Sec. 90-6/and comply with chapter 14 Div. 2 of Sacramento City Code.


EQUIPMENT MUST BE USED AS DESIGN INTENDED

ALL SIGN INSTALLATIONS ARE SUBJECT TO FIELD INSPECTIONS

FILE COPY


RS-19639
 DATE 9712878

ONE PERSON MOTELEDGE 11 1/2" HIGH 12" WIDE 17 3/8" HIGH 15 1/8" WIDE 42 3/8" HIGH 17 3/8" HIGH 11 7/8" HIGH




BLACK BACKGROUND and
 RETAINER with RETROFIT LED UNIT
 LED BACKGROUND AREA ABOVE is 80%
 of SIGN WIDTH

17% REDUCTION in ONE PERSON



Dualite Sales & Service, Inc

© 1997 Dualite Sales & Service, Inc. All Rights Reserved. This drawing was
 created by Dualite Sales & Service, Inc. and contains exclusive design elements
 owned by Dualite and may not be reproduced or used without Dualite's consent.
 JULY 1997 • FILE # 87-7139-MOTEL-1-GSP DMG SBG TEL 1M12



STEP 1

Remove sign from support and position on wood blocks.

STEP 2

Remove existing **Metal Frames** from sign face surface.

STEP 3

Apply adhesive backed **Vinyl Cover** over 99¢ area, if needed.

STEP 4

Cut and remove lower portion of **Side Molding** equal to height of **Pricer Assembly** minus one inch (1"). Remove **Bottom Molding** completely.

STEP 5

Tilt sign back and position **Pricer Assembly** in place. Be sure unit is pushed against face and flush along bottom.

STEP 6

Drill through holes with 1/2" drill bit into sign cabinet. Attach **Pricer Assembly** to **Sign Cabinet** with hardware provided. **Bolt** with **Flat Head Washer** to be inserted through and connected to **Nut** with **Lock Washer**. Nut and lock washer must be attached from inside the sign (*sign has access door*).

Secure **Pricer Assembly** to **Sign Cabinet**. Repeat procedure for other side of sign.




STEP 7


Connect electrical from **Pricer Assemblies** to **Electrical** via **Electrical Box** on **Sign Pole**.

STEP 8

Drop **Control Cable** down inside the pole. Install weather tight box on the outside of pole and connect to control cable.

NOTE: This unit burns continuously and must have continuous power independent of any Time Clocks or Photo Cells. Please discuss with Dualite.







00 99 ONE PERSON

®

OLD
LOOP




~~24~~ FEET ABOVE GRADE



00 99 ONE PERSON

®

"A" GRAPHICS




"B" GRAPHICS ... BLACK BACKGROUND

STANDARD FONT PRICER



BUILT-IN LED PRICER



RETROFIT PRICER

RENOVATED



AARP RATES



ENTER LEFT



ENTER RIGHT



"C" GRAPHICS



"D" GRAPHICS



2 COLORS:


ST# 2410 RED (NUMERAL 6)

ST# 2930 BLUE (BACKGROUND COLOR and GRADATION)

"MOTEL COPY" is WHITE on BLUE and RED with BLUE DROP SHADOW

RETAINER: MATTHEWS BLUE to MATCH ST#2930

"E" GRAPHICS



FLEX FACE

PAN FORMED SOLAR LEXAN

FLAT SOLAR GRADE LEXAN

- RENOVATED
- OFFICE / ARROW
- ENTER RIGHT
- AARP RATES
- LOBBY / ARROW
- ENTER LEFT
- NEW ROOMS
- ALL NEW ROOMS
-

Dualite Sales & Service, Inc.

One Duallite Lane • Wilkesburg, OH 46178 • (513) 724-7000 • FAX (513) 724-9029

Note: ©1997 Dualite Sales & Service, Inc. • All Rights Reserved • This drawing was created by Dualite Sales & Service, Inc. and contains exclusive design elements executed by Dualite and may not be reproduced or utilized without Dualite's consent.

AUGUST 20th 1997 © • FILE# 97-8-214-MOTE01-GSP (DM6-SBG"TEL")

01689