

NEED FORM FILLED OUT

RETURN BOTH SHEETS

Building Permit



BUILDING DIVISION (916) 808-BLDG (2534)

***** Office Use Only *****

Permit No: 0615063
Date Issued:
Total Amount:

ISSUED CITY OF SACRAMENTO

SEP 28 2006

***** Please Fill in the Following *****

Site Address: 3011 23rd AVE
Nature of Work: C/O PACKAGE GAS? EL CENTER

DOWNTOWN PERMIT

CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name Lender's Address

LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class G20 License Number 464242 Date 12/31/06 Signature [Signature]

OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the Contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code; The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code; The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. B & PC for this reason:

Date Owner Signature

IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 9/27/06 Applicant/Agent Signature [Signature]

WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier ENDURANCE WORKERS COMP Policy Number WEN1000005 Expiration Date 07/01/07

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 9/27/06 Applicant Signature [Signature]

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.

FAXBACK PERMIT APPLICATION

(certain restrictions apply)



09/28/07

Faxed request received in this office before 3:00 p.m. will be processed the following work day.
Contractors must have a current certificate of worker's compensation insurance.
Work started before a Building Permit is issued will be subject to quad fees.

Permits requiring plan review are not eligible for FAXBACK

In order to process this request, ALL of the following information **MUST** be provided:

Fax # (916) 264-1901

RESIDENTIAL APARTMENTS (4+ units per building) COMMERCIAL (limited)

Job Address: 3011 23rd AVE Unit # _____
 Parcel Number: _____ Contract Price \$5,892.00
 CONTACT PERSON: JING SUPANICH CONTACT PHONE: 916-925-2541
 Property Owner: CLARE KEATINGE Contractor: SAC HEATING & AIR License # 464242
 Address: 3011 23rd AVE Address: 1251 BUDENFELD DR
 City/State/Zip: SACRAMENTO, CA 95820 City/State/Zip: SACRAMENTO, CA 95815
 Phone: 916-453-0345 Phone: 916-925-2541 FAX: 916-925-1379

NATURE OF WORK: (Provide detailed description of work & indicate type of work in selections below.)

Description of Work: REPLACEMENT OF ROOF HUNGROD & TOP PACKAGED GAS ELECTRIC

<input type="checkbox"/> REMOOF (excluding the) <input type="checkbox"/> TEAR-OFF <input type="checkbox"/> REHEEET <input type="checkbox"/> HOUSE # SQUARES 2 # Stories aterial 1 2 3+	<input type="checkbox"/> GARAGE <input type="checkbox"/> NEW CHANGEO-OUT <input type="checkbox"/> Heat Pump <input type="checkbox"/> Packagge <input type="checkbox"/> Split system <input type="checkbox"/> Roof mount <input type="checkbox"/> Culin <input checked="" type="checkbox"/> Head pump or elect. unit to gas.	<input type="checkbox"/> WATER HEATER <input type="checkbox"/> GAS <input type="checkbox"/> Change-out <input type="checkbox"/> Electric to Gas <input type="checkbox"/> Reducite <input type="checkbox"/> New	<input type="checkbox"/> WAC INSTALLATIONS <input type="checkbox"/> NEW CHANGEO-OUT <input type="checkbox"/> Heat Pump <input type="checkbox"/> Packagge <input type="checkbox"/> Split system <input type="checkbox"/> Roof mount <input type="checkbox"/> Culin <input checked="" type="checkbox"/> Head pump or elect. unit to gas.	<input type="checkbox"/> (Residential ONLY) <input type="checkbox"/> WATER HEATER <input type="checkbox"/> GAS <input type="checkbox"/> Change-out <input type="checkbox"/> Electric to Gas <input type="checkbox"/> Reducite <input type="checkbox"/> New	<input type="checkbox"/> (Residential ONLY) <input type="checkbox"/> Electric Service Change # amp <input type="checkbox"/> New electric circuite <input type="checkbox"/> Re-wire <input type="checkbox"/> Replacemant <input type="checkbox"/> Water Service <input type="checkbox"/> Sewer Service <input type="checkbox"/> Gas Line <input type="checkbox"/> Re-plumb <input type="checkbox"/> Water <input type="checkbox"/> Waste
<input type="checkbox"/> STONING <input type="checkbox"/> Wood <input type="checkbox"/> T-111 <input type="checkbox"/> Horiz <input type="checkbox"/> Vanyl <input type="checkbox"/> Stucco	Value of work: Equipment: \$ _____ Cid-fee: \$ _____ * Design Review approval may be required.	<input type="checkbox"/> DRY ROT OR TERMITTE DAMAGE REPAIR <input type="checkbox"/> Floorng/Joists <input type="checkbox"/> Roof Structure <input type="checkbox"/> Exterior * Design Review approval may be required.	<input type="checkbox"/> PUBLIC UTILITIES SAFETY INSPECTION * (Residential and single apartment units ONLY) <input type="checkbox"/> SNAUD <input type="checkbox"/> PG&E	NOTE: Correction Notice items will require an additional building permit.	IFR Fastest Permit updated 1/20/07

* Design Review approval may be required.



#0615063 PGL

CERTIFICATE OF FIELD VERIFICATION & DIAGNOSTIC TESTING (Page 1 of 8)

CF-4R

3011 23rd Ave - Sacramento, Ca 95820		Sacramento Heating & Air Conditioning / 464242	
Project Address		Contractor Name / License No.	
		06-15063	
Contractor Contact		Telephone	Permit Number
Michael McDermott		916-704-2810	42796
HERS Rater	Telephone	Sample Group Number	
<i>Michael McDermott</i>	October 5, 2006	CC14-1798383378	
Certifying Signature		Date	
Firm: Energy Analysis and Comfort Solutions, Inc.		HERS Provider: CalCERTS	
Street Address: PO Box 2233		City/State/Zip: Orangevale / CA / 95662	

Copies to: Homeowner, HERS Provider and Building Department

This CF-4R has been registered with the CalCERTS® registry in accordance with the Title 24 & Title 20 of the CCR. CalCERTS® is an approved HERS provider by the California Energy Commission.

HERS RATER COMPLIANCE STATEMENT

The house was Tested Approved as part of sample testing, but was not tested.

As the HERS rater providing diagnostic testing and field verification, I certify that the house identified on this form complies with the diagnostic tested compliance requirements as checked on this form. The HERS rater must check and verify that the new distribution system is fully ducted and correct tape is used before a CF-4R may be released on every tested building. The HERS rater must not release the CF-4R until a properly completed and signed CF-6R has been received for the sample and tested buildings.

- The installer has provided a copy of the CF-6R (Installation Certificate).
- New Distribution system is fully ducted (i.e., does not use building cavities as plenums or platform returns in lieu of ducts).
- New systems where cloth backed, rubber adhesive duct tape is installed, mastic and drawbands are used in combination with cloth backed, rubber adhesive duct tape to seal leaks at duct connections.

MINIMUM REQUIREMENTS FOR DUCT LEAKAGE REDUCTION COMPLIANCE CREDIT:

NEW CONSTRUCTION		
	Duct Pressurization Test Results (CFM @ 25 Pa)	Measured Values
1	Enter Tested Leakage Flow in CFM:	N/A
2	Fan Flow: Calculated (Nominal <input checked="" type="radio"/> Cooling <input type="radio"/> Heating) or <input type="radio"/> Measured Enter Total Fan Flow in CFM:	1200
3	Pass if Leakage Percentage < 6% [100 x (Line 1 / Line 2)]:	N/A N/A
ALTERATIONS: Duct System and/or HVAC Equipment Change-Out		
4	Enter Tested Leakage Flow in CFM from CF-6R: Pre-Test of Existing Duct System Prior to Duct System Alteration and/or Equipment Change-Out.	
5	Enter Tested Leakage Flow in CFM: Final Test of New Duct System or Altered Duct System for Duct System Alteration and/or Equipment Change-Out.	179
6	Enter Reduction in Leakage for Altered Duct System [Line 4 - Line 5] - (Only if Applicable)	
7	Enter Tested Leakage Flow in CFM to Outside (Only if Applicable)	
8	Entire New Duct System - Pass if Leakage Percentage < 6% [100 x (Line 5 / Line 2)]:	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
TEST OR VERIFICATION STANDARDS: For Altered Duct System and/or HVAC Equipment Change-Out, use one of the following four Test or Verification Standards for compliance:		
9	Pass if Leakage Percentage <= 15% [100 x (Line 5 / Line 2)]:	14.90% <input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
10	Pass if Leakage to Outside Percentage <= 10% [100 x (Line 7 / Line 2)]:	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
11	Pass if Leakage Reduction Percentage >= 60% [100 x (Line 6 / Line 4)] and Verification by Smoke Test and Visual Inspection	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
12	Pass if Sealing of all Accessible Leaks and Verification by Smoke Test and Visual Inspection	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Pass if One of Lines #9 through #12 pass		<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

INSTALLATION CERTIFICATE

3011 23rd Ave
Site Address

Sacramento

Ca

95820

Permit Number: 06-15063

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(a).

HVAC SYSTEMS:

Heating Equipment

Equip. Type (pkg. heat)	CEC Certified Mfg. Name, Model, and Serial No.	# of Identical Systems	Efficiency (AFUE, etc) ¹ >(CF-1R value)	Duct Location	Duct or Piping R-Value	Heating Load (kBtu/hr)	Heating Capacity (kBtu/hr)
Package	RHEEM	1	80.00 AFUE	Attic	4		80
Furnace	RRNAB36JK08X						

Cooling Equipment

Equip. Type (pkg. heat pump)	CEC Certified Mfg. Name, Model, and Serial No.	# of Identical Systems	Efficiency (AFUE, etc) ¹ >(CF-1R value)	Duct Location	Duct or Piping R-Value	Cooling Load (kBtu/hr)	Cooling Capacity (kBtu/hr)
Package		1	13.00 SEER	Attic	4		36
A/C			11.00 EER				
Coil							

1. > symbol reads greater than or equal to what is indicated on the CF-1R value. Include both SEER and EER if compliance credit for high EER air conditioner is claimed.

II, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Ben Spahr 10/4/06
Signature and Date

Sacramento Heating & Air Conditioning

Installing Subcontractor (Co. Name)
OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department
HERS Rater (if applicable)
Building Owner at Occupancy

3011 23rd Ave
Site Address

Sacramento

Ca

95820

Permit Number: 06-15063

INSTALLER COMPLIANCE STATEMENT FOR DUCT LEAKAGE

Copies to: Builder, HERS Rater, Building Owner at Occupancy and Building Department

INSTALLER COMPLIANCE STATEMENT

The building was: Tested at Final Tested at Rough-In

INSTALLER VISUAL INSPECTION AT FINAL CONSTRUCTION STAGE:

- Remove at least one supply and one return register, and verify that the spaces between the register boot and the interior finishing wall are properly sealed.
- If the house rough-in duct leakage test was conducted without an air handler installed, inspect the connection points between the air handler and the supply and return plenums to verify that the connection points are properly sealed.
- Inspect all joints to ensure that no cloth backed rubber adhesive duct tape is used

DUCT LEAKAGE REDUCTION

Procedures for field verification and diagnostic testing of air distribution systems are available in RACM, Appendix RC4.3

NEW CONSTRUCTION:		Measured Values	
Duct Pressurization Test Results (CFM @ 25 Pa)			
1 Enter Tested Leakage Flow In CFM:			
2 Fan Flow: Calculated (Nominal: <input checked="" type="checkbox"/> Cooling <input type="checkbox"/> Heating) or <input type="checkbox"/> Measured If Fan Flow is Calculated as 400 cfm/ton x number of tons or as 21.7 cfm/(kBtu/hr) x Heating Capacity in Thousands of Btu/hr, enter total calculated or measured fan flow in CFM here:		1200	
3 Pass if Leakage Percentage < 6% for Final or < 4% at Rough-in: [100 x [_____ (Line #1) / _____ (Line #2)]]			<input type="checkbox"/> Pass <input type="checkbox"/> Fail
ALTERATIONS: Duct System and/or HVAC Equipment Change-Out			
4 Enter Tested Leakage Flow In CFM from Pre-Test of Existing Duct System Prior to Duct System Alteration and/or Equipment Change-Out.			
5 Enter Tested Leakage Flow In CFM from Final Test of New Duct System or Altered Duct System for Duct System Alteration and/or Equipment Change-Out.		179	
6 Enter Reduction in Leakage for Altered Duct System [_____ (Line #4) Minus _____ (Line #5)] - (Only If Applicable)			
7 Enter Tested Leakage Flow In CFM to Outside (Only If Applicable)			
8 Entire New Duct System - Pass if Leakage Percentage < 6% for Final or < 4% at Rough-in [100 x [_____ (Line #5) / _____ Line # 2]]			<input type="checkbox"/> Pass <input type="checkbox"/> Fail
TEST OR VERIFICATION STANDARDS: For Altered Duct System and/or HVAC Equipment Change-Out			
9 Pass if Leakage Percentage < 15% [100 x [_____ (Line #5) / _____ Line # 2]]		14.9%	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
10 Pass if Leakage to Outside Percentage < 10% [100 x [_____ (Line # 7) / _____ Line # 2]]			<input type="checkbox"/> Pass <input type="checkbox"/> Fail
11 Pass if Leakage Reduction Percentage > 60% [100 x [_____ (Line # 6) / _____ Line # 4]] and Verification by Smoke Test and Visual Inspection			<input type="checkbox"/> Pass <input type="checkbox"/> Fail
12 Pass if Sealing of all Accessible Leaks and Verification by Smoke Test and Visual Inspection			<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Pass if One of Lines # 9 through # 12 pass			<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

I, the undersigned, verify that the above diagnostic test results were performed in conformance with the requirements for compliance credit. I, the undersigned, also certify that the newly installed or retrofit Air-Distribution System Ducts, Plenums and Fans comply with Mandatory requirements specified in Section 150 (m) of the 2006 Building Energy Efficiency

Brispan 10/9/06
Signature Date

Sacramento Heating & Air Conc

Installing Subcontractor (Co. Name) OR
General Contractor (Co. Name)

38
5018-1

INSTALLATION CERTIFICATE

3011 23rd Ave

Sacramento

Ca

95820

Site Address

Permit Number: 06-15063

THERMOSTATIC EXPANSION VALVE (TXV)

Procedures for field verification of thermostatic expansion valves are available in RACM, Appendix R1.

<input type="checkbox"/> Yes	<input type="checkbox"/> No	Access is provided for inspection. The procedure shall consist of visual verification that the TXV is installed on the system and installation of the specific equipment shall be verified.		
Yes is a Pass			<input type="checkbox"/> Pass	<input type="checkbox"/> Fail

REFRIGERANT CHARGE MEASUREMENT PROCEDURE

Verification for Required Refrigerant Charge and Adequate Airflow for Split System Space Cooling Systems without Thermostatic

Expansion Valves	
Outdoor Unit Serial #	
Location	
Outdoor Unit Make	
Outdoor Unit Model	
Cooling Capacity	Btu/hr
Date of Verification	
Date of Refrigerant Gauge Calibration	(must be checked monthly)
Date of Thermocouple Calibration	(must be checked monthly)

Standard Charge Measurement Procedure (outdoor air dry-bulb 55oF and above):

Procedures for Determining Refrigerant Charge using the Standard Method are available in RACM, Appendix RD2.

Note: The system should be installed and charged in accordance with the manufacturer's specifications before starting this

Measured Temperatures

Supply (evaporator leaving) air dry-bulb temperature (Tsupply, db)		F
Return (evaporator entering) air dry-bulb temperature (Treturn, db)		F
Return (evaporator entering) air wet-bulb temperature (Treturn, wb)		F
Evaporator saturation temperature (Tevaporator, sat)		F
Suction line temperature (Tsuction, db)		F
Condenser (entering) air dry-bulb temperature (Tcondenser, db)		F

Superheat Charge Method Calculations for Refrigerant Charge

Actual Superheat = Tsuction, db - Tevaporator, sat		F
Target Superheat (from Table RD-2)		F
Actual Superheat - Target Superheat (System passes if between -5 and +5°F)		F

Temperature Split Method Calculations for Adequate Airflow

Split Method Calculation is not necessary if Adequate Airflow credit is taken

Actual Temperature Split = T return, db - Tsupply, db		F
Target Temperature Split (from Table RD3)		F
Actual Temperature Split - Target Temperature Split (System passes if between -3°F and +3°F or, upon remeasurement, if between -3°F and -10°F)		F

INSTALLATION CERTIFICATE

(Page 6 of 12)

CF-6R

3011 23rd Ave

Sacramento

Ca

95820

Site Address

Permit Number: 06-15063

Standard Charge Measurement Summary:

System shall pass both refrigerant charge and adequate airflow calculation criteria from the same measurements. If corrective actions were taken, both criteria must be remeasured and recalculated.

Yes No System Passes

Alternate Charge Measurement Procedure (outdoor air dry-bulb below 55 oF)

Note: The system should be installed and charged in accordance with the manufacturer's specifications and installer verification shall be documented on CF-6R before starting this procedure. If outdoor air dry-bulb is 55 oF or above, installer shall use the Standard Charge Measure Procedure:

Procedures for Determining Refrigerant Charge using the Alternate Method are available in RACM, Appendix RD3.

Actual liquid line length:		ft
Manufacturer's Standard liquid line length:		ft
Difference (Actual - Standard):		ft
Manufacturer's correction (ounces per foot) _____ x difference in length = _____ ounces (+ = add) (- = remove)		

Measured Airflow Method for Adequate Airflow Verification available in RACM, Appendix

Calculated Airflow: Cooling Capacity (Btu/hr)	_____ X 0.033 (cfm/Btu-hr)	_____ CFM
Measured Airflow is _____ CFM (Measured airflow must be greater than the calculated		

Alternate Charge Measurement Summary:

System shall pass both refrigerant charge and adequate airflow calculation criteria from the same measurements. If corrective actions were taken, both criteria must be remeasured and recalculated.

Yes No System Passes

Bui Syah 10/9/01
Signature, Date

Sacramento Heating & Ai
Installing Subcontractor (Co. Name) OR
General Contractor (Co. Name) OR Owner

COPY TO: Building Department
HERS Rater (if applicable)
Building Owner at Occupancy

38

5018-1

3011 23rd Ave Site Address	Sacramento	Ca	95820	Permit Number: 06-15063
-------------------------------	------------	----	-------	-------------------------

FAN WATT DRAW

Procedures for measuring the air handler watt draw are available in RACM, Appendix RE3.2.

Method For Fan Watt Draw Measurement			
		RE3.2.1	Portable Watt Meter Measurement
		RE3.2.2	Utility Revenue Meter Measurement
Measured Fan watt Draw:		Enter results of Watts/cfm:	
Measured Fan Flow (Enter total cfm from airflow verification)		Enter results of Watts/cfm:	
<input type="checkbox"/> Yes	<input type="checkbox"/> No	Calculated fan watt/cfm is equal to or lower than the fan watt/cfm draw documented in CF-1R	
		Yes is a pass	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

ADEQUATE AIRFLOW VERIFICATION

Procedures for field verification and diagnostic testing of adequate airflow are available in RACM, Appendix RE4.1.

Method For Airflow Measurement			
		Yes	No
			Duct design exists on plans
	RE4.1.1		Diagnostic Fan Flow Using Flow Capture Hood
	RE4.1.2		Diagnostic Fan Flow Using Plenum Pressure Matching
	RE4.1.3		Diagnostic Fan Flow Using Flow Grid Measurement
Measured Airflow:		cfm/ton	
<input type="checkbox"/> Yes	<input type="checkbox"/> No	Measured airflow is greater than the criteria in Table RE-2	
		Pass	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

MAXIMUM COOLING CAPACITY

Procedures for determining maximum cooling load capacity are available in RACM, Appendix RF3.

1		Yes	No	Adequate airflow verified (see adequate airflow credit)
2		Yes	No	Refrigerant charge or TXV
3		Yes	No	Duct Leakage reduction credit verified
4		Yes	No	Cooling capacities of installed systems are ≤ to maximum cooling capacity indicated on the Performance's CF-1R and RF-3.
5	<input type="checkbox"/> Yes	<input type="checkbox"/> No	If the cooling capacities of installed systems are > than maximum cooling capacity in the CF-1R, then the electrical input for the installed systems must be ≤ to electrical input in the CF-1R.	
				Yes to 1, 2, and 3; and Yes to either 4 or 5 is a pass
		Pass	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	

HIGH EER AIR CONDITIONER

Procedures for verification are available in RACM, Appendix RI.

1		Yes	No	EER values of installed systems match the CF-1R For split system, Indoor coil is matched to outdoor coil Time Delay Relay Verified (If Required)
2		Yes	No	
3		Yes	No	
				Yes to 1 and 2; and 3 (If Required) is a pass
		Pass	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	

Tests Performed _____
 Signature / Date Brij Spank 10/9/06

Sacramento Heating & Air Conditionin
 Installing Subcontractor (Co. Name) OR
 General Contractor (Co. Name)

COPY TO: Building Department, HERS Rater, Building Owner at Occupancy