

APPLICATION FOR PERMIT TO BUILD

PERMIT
 5217
 DATE
 9/19/17
 DISTRICT
 4.

Street No. 1820 - I. Lot 3 1/2 Block I. J. - 18.19

Owner Mary S. E. Endris Address 1306 - 25th

Architect J Address _____

Contractor James A. McCallough Address 1015 - 23rd

Kind of Building Two st. fr. Dwelling 4 Apts 4 rms + bath each.

Foundation Concrete

Posts 4 x 4 Girder 4 x 6 Span 4'-0" Mud Sills 2 x 6

	1ST FLOOR	2ND FLOOR	3RD FLOOR	4TH FLOOR	5TH FLOOR	6TH FLOOR
Joists	2 x 8 - 16" o.c.					
Max. Span	14'-0"	14'-0"				
Bearing Partitions	2 x 4 - 16" o.c.					
Non-bearing Partitions	2 x 3 - 16" o.c.					
Story Height	9'-0"	9'-0"				
Outside Walls	2 x 4 - 16" o.c.					

Ceiling Joists 2 x 6 - 16" o.c. Span _____

Roof Shingles Rafters 2 x 4 - 32" o.c.

Water Heater Heater to be in the open. Chimney Brick, J.C. Flue lining

Size of Building—Length 56'-6" Width 34'-0" Height 31'-0"

It is hereby agreed that this building will be constructed in conformity with the Ordinances of the City of Sacramento and the Laws of the State of California.

Estimated cost, \$ 7500.⁰⁰

Plans must be submitted.



 Owner or Owner's Representative.

