

**CITY OF SACRAMENTO**  
1231 I Street, Sacramento, CA 95814

**Permit No: 0007956**  
**Insp Area: 2**

**Site Address: 7053 WILSHIRE CR SAC**  
Parcel No: 035-0341-008

Sub-Type: ASFR  
Housing (Y/N): N

CONTRACTOR  
NUÑEZ CONSTR.  
5 EL MORRO CT  
SAC CA

OWNER  
WILLIAMS CHARLES N  
7053 WILSHIRE CR  
SACRAMENTO CA 95822

ARCHITECT

**Nature of Work:** ADDITION SFR 123 SQ. FT.

**CONSTRUCTION LENDING AGENCY:** I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_ Lender's Address \_\_\_\_\_

**LICENSED CONTRACTORS DECLARATION:** I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

X License Class B License Number 63931 Date 7/13/00 Contractor Signature [Signature]

**OWNER-BUILDER DECLARATION:** I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00):

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. \_\_\_\_\_ B & PC for this reason: \_\_\_\_\_

Date \_\_\_\_\_ Owner Signature \_\_\_\_\_

**IN ISSUING THIS BUILDING PERMIT,** the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

X Date 7/13/00 Applicant/Agent Signature [Signature]

**WORKER'S COMPENSATION DECLARATION:** I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier STATE FUND Policy Number 2000 Exp Date 01/01/2001

(This section need not be completed if the permit is for \$100 or less) I certify that for the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700, I shall forthwith comply with those provisions.

X Date 7/13/00 Applicant Signature [Signature]

**WARNING:** FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

**THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.**

Date of Request: 7/13/00  
By: \_\_\_\_\_

**CITY OF SACRAMENTO DEVELOPMENT SERVICES DIVISION  
PLANNING AND ZONING INFORMATION REQUEST**

Project  
Address: 7052 Wyndale Circle

Assessor's Parcel Number: 001-034-008

Previous Use: Single Family Residence

Description of Request/Proposed Use: room addition/expansion

2.5 car garage addition

Is This a Change of Use? NO

Prior Applications for Project Site(P#, Z#, DRPB#): none

Zoning Designation: R-1 (EA-D)

Comments: no coverage needs setbacks, no design

Review Required

Are There Any Planning Issues?: (circle one) YES  NO

- \* Staff Site Plan Check Required? (Circle one) YES  NO
- \* Field Inspection Required? (Circle one) YES  NO
- \* Design Review/Preservation Required?: (Circle one) YES  NO

Planning Review by/Date: [Signature] 7/13/00

A list of items that must be reviewed by Planning is provided on the reverse side of this form.

MICROFILM AFTER FINAL

CITY OF SACRAMENTO \* BUILDING INSPECTION DIVISION  
SPECIAL PACKAGE D FOR RESIDENTIAL ADDITIONS IN CLIMATE ZONE 12  
100 to 999 SQUARE FEET

NOTE: ADDITIONS OF 100 SQUARE FEET OR LESS WITH 50% OR LESS GLAZING NEED MEET ONLY APPLICABLE FEATURES OF MANDATORY MEASURES CHECKLIST ON BACK OF THIS FORM.

CERTIFICATE OF COMPLIANCE CF 1R ADDITION

Project Title Williams Date 7-13-00  
Project Address 7053 Wilshire Cir Sac. CA  
Total Floor Area Addition 135 sq ft. Addition and existing total 1690 sq ft.  
Total Glazing Area Addition 50 sq ft. Glazing removed existing 280

REQUIREMENTS THAT APPLY TO NEW AREA: BUILDING SHELL INSULATION:

COMPONENT	TYPE (BATT OR BLOWN)	100 SQ FEET	101-999 SQ FEET
		R VALUE MIN	R VALUE MIN
Ceiling	<u>R 38</u>	R - 19	R - 38
Wall	<u>R 13</u>	R - 13	R - 13
Raised Floor	<u>R 19</u>	R - 13	R - 19
Shading			
East/West facing Glazing .040 maximum		Enter Shading Device: _____	
Fenestration (Glazing) <u>DOUBLE REQUIRED</u>		U = .65 MAX	

Maximum Glazing Area of New Addition 16% (Example: New Glazing (-) of Existing Glazing + Total Area of Additional Square Footage.

NEW HEATING, COOLING OR DOMESTIC WATER HEATING:

System installed in conduction with addition must comply with the appliance standards applicable to new residences. Complete the following standards if new equipment is being installed in conjunction with the room addition; cannot add electric resistant heat:

HVAC SYSTEMS	Minimum Efficiency	Duct Insulation	Output	Manufacturer/Model #
Type (Furnace, air conditioner, heat pump)	(SE, SEER, HSPF)		(Btu/h)	(or approved equal)
_____	_____	R - 4.2	_____	_____
_____	_____	R - 4.2	_____	_____

HOT WATER SYSTEMS

System Type	Type	Manufacturer/Model #	Special
(Storage gas, etc)	Capacity	(Or approved equal)	Features
_____	_____	_____	_____
_____	_____	_____	_____

COMPLIANCE STATEMENT

This certificate of compliance lists the building features and performance specifications needed to comply with Title 24, Parts 1 and 6 of the California Code of Regulations, and the administrative regulations to implement them. This certificate has been signed by the individual with overall design responsibility. -When this certificate of compliance is submitted for a single building plan to be built in multiple orientations, any shading feature that is varied is indicated in the Special Features / Remarks section.

Designer or Owner (per Business and Professions Code)

Name: MANUEL NUNEZ  
Title/Firm: OWNER  
Address: P.O. Box 221595  
Sac. CA  
Telephone: 916 398-8660  
Lic. #: 639231

Documentation Author

Name: \_\_\_\_\_  
Title/Firm: \_\_\_\_\_  
Address: \_\_\_\_\_  
Telephone: \_\_\_\_\_

(signature) 7/13/00  
(date)

\_\_\_\_\_  
(signature) (date)

Enforcement Agency

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Agency: \_\_\_\_\_  
Telephone: \_\_\_\_\_

\_\_\_\_\_  
(signature / stamp) (date)


# MANDATORY MEASURES CHECKLIST: RESIDENTIAL (Page 1 of 2) MF-1R

Note: Lowrise residential buildings subject to the Standards must contain these measures regardless of the compliance approach used. Items marked with an asterisk (\*) may be superseded by more stringent compliance requirements listed on the Certificate of Compliance. When this checklist is incorporated into the permit documents, the features noted shall be considered by all parties as minimum component performance specifications for the mandatory measures whether they are shown elsewhere in the documents or on this checklist only.

Instructions: Check or initial applicable boxes when completed or enter N/A if not applicable:

DESCRIPTION	DESIGNER	ENFORCEMENT
<b>Building Envelope Measures:</b>	<del>*</del>	
• §150(a): Minimum R-19 ceiling insulation.	X N	
§150(b): Loose fill insulation manufacturer's labeled R-Value.		
• §150(c): Minimum R-13 wall insulation in wood framed walls or equivalent U-value in metal frame walls (does not apply to exterior mass walls).		
• §150(d): Minimum R-13 raised floor insulation in framed floors.	X N	
§150(l): Slab edge insulation - water absorption rate no greater than 0.3%, water vapor transmission rate no greater than 2.0 perm/inch.		
§118: Insulation specified or installed meets insulation quality standards. Indicate type and form.		
§116-17: Fenestration Products, Exterior Doors, and Infiltration/Exfiltration Controls 1. Doors and windows between conditioned and unconditioned spaces designed to limit air leakage. 2. Fenestration products (except field-fabricated) have label with certified U-value, certified Solar Heat Gain Coefficient (SHGC), and infiltration certification. 3. Exterior doors and windows weatherstripped; all joints and penetrations caulked and sealed.		
§150(g): Vapor barriers mandatory in Climate Zones 14 and 16 only.		
§150(f): Special infiltration barrier installed to comply with § 151 meets Commission quality standards.		
§150(e): Installation of Fireplaces, Decorative Gas Appliances and Gas Logs. 1. Masonry and factory-built fireplaces have: a. Closeable metal or glass door b. Outside air intake with damper and control c. Flue damper and control 2. No continuous burning gas pilot lights allowed.		
<b>Space Conditioning, Water Heating and Plumbing System Measures:</b>		
§110-§113: HVAC equipment, water heaters, showerheads and faucets certified by the Commission.		
§150(h): Heating and/or cooling loads calculated in accordance with ASHRAE, SMACNA or ACCA.		
§150(i): Setback thermostat on all applicable heating and/or cooling systems.		
§150(j): Pipe and tank insulation 1. Storage gas water heaters rated with an Energy Factor less than 0.58 must be externally wrapped with insulation having an installed thermal resistance of R-12 or greater. 2. First 5 feet of pipes closest to water heater tank, non-recirculating systems, insulated (R-4 or greater) 3. Back-up tanks for solar system, unfired storage tanks, or other indirect hot water tanks have R-12 external insulation or R-16 combined internal/external insulation. 4. All buried or exposed piping insulated in recirculating sections of hot water systems. 5. Cooling system piping below 55° F insulated. 6. Piping insulated between heating source and indirect hot water tank.		
<b>Space Conditioning, Water Heating and Plumbing System Measures: (continued)</b>		
• §150(m): Ducts and Fans 1. All ducts and plenums constructed, installed, insulated, fastened, and sealed to comply with the ICBO 1997 UMC sections 601 and 603; ducts insulated to a minimum installed R-4.2 or ducts enclosed entirely within conditioned space. Openings shall be sealed with mastic, tape, aerosol sealant or other duct closure system that meets the applicable requirements of UL181, UL181A, or UL181B and other applicable specified tests for longevity given in §150(m). 2. Exhaust fan systems have back draft or automatic dampers. 3. Gravity ventilating systems serving conditioned space have either automatic or readily accessible, manually operated dampers.		
<b>Lighting Measures:</b>		
§150(k)1.: Luminaires for general lighting in kitchens shall have lamps with an efficacy of 40 lumens/watt or greater for general lighting in kitchens. This general lighting shall be controlled by a switch on a readily accessible lighting control panel at an entrance to the kitchen.		
§150(k)2.: Rooms with a shower or bathtub must either have at least one luminaire with lamps with an efficacy of 40 lumens/watt or greater switched at the entrance to the room or one of the alternatives to this requirement allowed in §150(k)2.; and recessed ceiling fixtures are IC (insulation cover) approved.		

Owner: Williams, Williams - Addition/Remodel  
 7053 Wilshire Cir. Sac. Ca. 95834



FLOOR PLAN - 135 SQ. FT.

**ISSUED**

JUL 13 2000

Sacramento Building Division




This set of plans and specifications must be kept on file at all times. It is intended to make any changes to the original set of plans and specifications. No addition from the original set of plans and specifications shall be made without the approval of the architect or engineer. No violation of any City Ordinance or State Law.

**ELECTRICAL LEGEND**

- - single pole switch
- - 3 - wire switch
- ⊕ - 100 V A GFI breaker
- ⊖ - ground fault interrupter


Nunez, Genet  
 916 598-8100  
 Lic # 59828

**SITE PLAN**





6/8/2000  
 N.C.E.

(B) 2001




Manuel Const. 11/11/00  
 Lic # 131021

7-13-00



**ISSUED**  
 JUL 13 2000  
 Sacramento Building Division



GENERAL NOTES

1. All construction shall be done in strict accordance with the latest editions of U.B.C. N.E.C. National Electrical Code.
2. Framing to be done in accordance with the latest editions of U.B.C. N.E.C. National Electrical Code.
3. Framing to be 2x8 or 3/4\" x 4x8 plywood sub-floor.
4. All top plates shall be 2x4's or 2x6's studs or better.

Owner: Charles N. Williams  
 7053 Wilshire Cir.  
 Sac, Ca.