CITY OF SACRAMENTO 1231 I Street, Sacramento, CA 95814

Site Address: 5439 ELDERDOWN WY SAC Parcel No:

HAMPTONS VILLAGE 2 LOT # 164

<u>CONTRACTOR</u> KB HOME NORTH BAY INC. 611 ORANGE DR VACAVILLE CA. 95687

OWNER

NEIGHBORHOODS PLAMNING AND DEVELOPMENT AND DEVELOPMENT SERVICES

PAID

CITY OF SACRAMEN

Permit No: 0514438

Sub-Type: NSFR

Insp Area:

Thos Bros:

FEB 2 2 2006 Housing (Y/N): N


Nature of Work: MP2561 2 STORY 9RM SFR CONSTRUCTION LENDING AGENCY: I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C). Lender's Name Lender's Address LICENSED CONTRACTORS DECLARATION: I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect. License Number Date 2-22-06 Contractor Signature Delle License Class OWNER-BUILDER DECLARATION: I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00); I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.) I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractors License Law). B & PC for this reason: I am exempt under Sec. Owner Signature_ Date IN ISSUING THIS BUILDING PERMIT, the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements. I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and herby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes. _ Applicant/Agent Signature_ WORKER'S COMPENSATION DECLARATION: I hereby affirm under penalty of perjury one of the following declarations: I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued. 💢 I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are: (This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, Ishall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

WARNING: FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.

Applicant Signature_

2-22-06

THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.



PLOT PLAN FOR **LOT 164** HAMPTONS VILLAGE 2 - TRADITIONAL KB HOME NORTH BAY CJC 3,010 DAM 1217.014

08-22-05

CERTIFICATION OF INSULATION

V	1438 Hamp		on Wa	·	•	130 P.O P.O 332 DATE INS	BOX 854, WES 09 MELODY ROA 0. BOX 9651, FRE 0. BOX 1631, REN 26 A PONDEROS ULATION COMPLE	D, MARYSVILL SNO, CA 9379 IO, NV 89505 I IA WAY, LAS VI	O, CA 95691 E, CA 95901 3-9651 LIC. #	LIC. #20202 LIC. #20202 #202026 I18 LIC. #10	675
(TYPE OF		ARE FEET)	(SC	QUARE FEET)	(TYPE OF W		E FEET)
MATERIAL		RGLASS	and the second of the second o	MATERIAL	FIBER	GLASS		MATERIAL	FIBERG	LASS	
FORM	B/	ATTS		FORM	BATTS	& BLO\	N	FORM	BAT	TS	
A R MANUFACT	TURER'S PRODI	UCT I.D.	<u> </u>	MANUFACTURER'S	S PRODU	CT I.D.		MANUFACTUR	ER'S PRODUC	r I.D.	
	MANUA				mang ny rapid ny Manada ika mbangsiya	OST LINES	King of the second seco	A A CONTROL OF THE CO	- Kantija	ZURIER	
A R E CT	CT OC JM			CT BAGS	(C	JM	СТ	ос		JM
A S			20 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	BAGS		* ************************************	MIN. INSTALLED		ALUE	APPI	
	VALUE TALLED						WEIGHT PER			e : Turbi	The second secon
13/19	,	3.5	<u>-</u>	38	14	13/4					
E MATERIAL		os e Talle Va	FORM		nga manggara Bana manggara	OTHER '	THAN WALLS A	30VE	N N N N N N N N N N N N N N N N N N N	MANUFACTUREF	
140 (1 E1 10 1E	FIBERGLA	ASS		BATTS					СТ	ОС	JM
MATERIAL				AET	garanega e este a a sa parastrone e en la casa	#OK SE	ALANT	MANUFAC	TURER		
WAIENAL				Lower		HILTI HANDY FOAM				MA	
	S YO CERT		na Barini a yaken a Marini akan barinin kungan	J CANA		PS BE	EN INSTALLE	D IN CONF	JANANCE ************************************	WITH APP	LICABLE
A SIGNATUR	RE — INSULATIO		OR	05.0	· · · · · · · · · · · · · · · · · · ·	TITLE	MANAGE	R	DATE 6/	5/00	9
Ť	RE — GENERAL	CONTRACTOR	3			TITLE			DATE	,	
C REMARKS	· <u>-</u>		-			<u> </u>	• • • • • • • • • • • • • • • • • • • •		t		
ERT F C AT O N											
			· · · · · · · · · · · · · · · · · · ·	 					- 480		

INSTALLATION CERTIFICATE

LOT 169

Site Address 5439 Elderdew Way

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection

a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b).

HVAC SYSTEMS:

Heating Equipment

Equip. Type (pkg. Heat pump)	CEC Certified Mfr name and Model #	# of Identical Systems	(i) Efficiency (AFUE, etc.) ≥CF- 1R value	Duct Location (attic, etc.)	Duct or Piping R-value	Heating Load (Bin/hr)	Heating Capacity (Btu/br)	
FURNACE		4	80%	ATTIC	6	31,832	53,000	PLAN 1364
FURNACE		1	80%	ATTIC	6	35,686	53,000	PLAN 1975
FURNACE		1	80%	ATTIC	6	39,196	53,000	PLAN 1979
	Carrier 58STX090-16		80%	ATTIC	6	36,283	70,000	PLAN 2093
	Carrier 58STX090-16	1	80%	ATTIC	6	38,630	70,000	PLAN 2132
	Carrier 55STX090-16		80%	ATTIC	6	38,206	70,000	PLAN 2199
			80%	ATTIC		39,638	70,000	PLAN 2286
	Carrier 58STX090-16 Carrier 58STX090-16	1	80%	ATTIC	6	36,240	70,000	PLAN 2552
Cooling E	quipment	4.4					**	
Equip. Type (pkg. Heat pump)	CEC Certified Compressor Unit Mfr Name and	# of identical Systems	(1) Efficiency (SEER, etc.) > CF-1R Value	Duct Location (attic, etc.)	Duct R-value	Cooling Load (Bas/br)	Cooling Capacity (Btu/hr)	
A/C	Camer 38BRC030*	1	13.0	ATTIC	6	20,368	27,600	PLAN 1364
A/C	Carrier 38BRC036*	1	13.0	ATTIC	6	27,153	33,100	PLAN 1975
A/C	Carrier 38BRC036*	1	13.0	ATTIC	6	27,004	33,100	PLAN 1979
A/C	Carrier 38BRC036*	1	13.0	ATTIC	6	26,512	33,100	PLAN 2093
A/C	Carrier 38BRC036*	1	13.0	ATTIC	8	27,559	33,100	PLAN 2132
A/C	Carrier 38BRC036*	1	13.0	ATTIC	6	27,919	33,100	PLAN 2199
A/C	Cerrier 388RC042*	1.	13.0	ATTIC	6	28,790	38,600	PLAN 2286
A/C	Carrier 38BRC048*	1	13.0	ATTIC	6	33,212	44,100	PLAN 2552

* = TXV valve installed as part of coil

(1) >_reads greater than or equal to.

I, the undersigned, verify that equipment listed above is: 1) is the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured the compliance Efficiency Regulations or Part 6), where applicable.

11.09.0

BEUTLER CORPORATION

Installing Subcontractor (Co. Name)
OR General Contractor (Co. Name) OR Owner

(Page 1 of 8)

-1100	\sim 1 1 1	
ハタスロ	Z I MO-MALIA	11 Vo. 1
11117	Elderdown	
Sito Antipose		- 1

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The ation provided on this form is required; however, use of this form to provide the information

VAC SYS	TEMS:			,			
leating Equ			•				
Equip.	CEC Certified Mfr Name	# of Identical	Efficiency (AFUE, etc.)	Duct Location	Dust or	Heating	Heating
ype (pkg. :at oump)	and Model Number	Systems	[>CF-1R value]	(attic. stc.)	Piping R-value	Lond (Bts/ke)	Capacity (Bbs/ht)
							
		· .		.	.		
ooling Equ Equip.	upment CEC Certified Comptessor	?e#	Efficiency	Duct		Cooling	Carallan
ype (pkg.	Unit Mfr Name and	[dentical	(SEER, ctc.)	Location	Duct	Lond	Cooling Capacity
1. ≥ read I, the unc	s greater than or equal to licrsigned, verify that equal than that specified in the	ipment listed	of compliance (Form CF-1R	quipment insta	r compliance wit	th the Energy
1. ≥ read I, the uncefficient Efficience	s greater than or equal to	ipment listed of all buildings,	above is: 1) is if compliance (1 and 3) equipme	the actual e Form CF-1R int that meets	quipment insu) submitted fo	alled, 2) equivale or compliance with	ent to or more
1. ≥ read 1, the unc efficient Efficienc manufact	e greater than or equal to lersigned, verify that equal to than that specified in the y Standards for residential treed devices (from the Approximately Standards)	ipment listed of all buildings,	l above is: 1) is if compliance (l and 3) equipme ciency Regulati	the actual e Form CF-1R int that meets one or Part 6	quipment insu) submitted fo	alled, 2) equivale r compliance wit c appropriate req able.	ent to or more
1. ≥ read I, the uncefficient Efficience manufact Signature	s greater than or equal to lessigned, verify that equal to than that specified in the y Standards for residenting the devices (from the A).	ipment listed of all buildings,	above is: 1) is of compliance (land 3) equipme ciency Regulation	the actual e Form CF-1R int that meets ons or Part 6	quipment insu) submitted fo or exceeds th), where applie	alled, 2) equivale r compliance wit c appropriate req able.	ent to or more th the Energy suirements for
1. ≥ read I, the uncefficient Efficience manufact Signature	e greater than or equal to lersigned, verify that equal to than that specified in the y Standards for residential treed devices (from the Approximately Standards)	ipment listed of all buildings,	above is: 1) is of compliance (land 3) equipme ciency Regulation	the actual e Form CF-1R int that meets ons or Part 6	quipment insu) submitted fo or exceeds th), where applie	alled, 2) equivale r compliance win c appropriate req :able.	ent to or more th the Energy suirements for
1. ≥ read 1, the und efficient Efficienc manufact Signature	s greater than or equal to lessigned, verify that equal to than that specified in the y Standards for residenting the devices (from the A).	ipment listed of all buildings,	above is: 1) is of compliance (land 3) equipme ciency Regulation	the actual e Form CF-1R int that meets one or Part 6 installing Subo R General C	quipment insu) submitted fo or exceeds th), where applie	alled, 2) equivalent compliance with a appropriate required in the compliance with a subject of the compliance with a co	ent to or more th the Energy suirements for

2 For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Pactor.

For large gas storage water heaters (rated input of greater than 75,000 Btu/hr). list Recovery Efficiency. Standby Loss and Rated input.

For instantaneous gas water heaters, list Recovery Efficiency and Rated input.

3. R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

Faucets & Shower Heads:

All faucets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111.

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed; 2) equivalent to or more officient than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Appliance Efficiency Regulations or Part 6), where applicable.

Signature. Date

DIMPOUNE

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

COPY TO: Building Department

HERS Provider (if applicable)

Building Owner at Occupancy

Permit Number

FENESTRATION/GLAZING:

Manufacturer/Brand Name	Product U-Factor¹ (≤ CF-1R value) ²	Product SHGC¹ (≤ CF-1R value)²	# of Panes	Total Quantity of Like Product (Optional)	Square Feet	Exterior Shading Device or Overhang	Comments/Location/ Special Features
(GROUP LIKE PRODUCTS) 1.	.35 .35 .34 .35	SH XU PU PD	<u> </u>				low EZ
7							
13. 14. 15.							

Manufactured fenestration products use the values from the product label. Field fabricated fenestration products use the default values from Section 116 of the Energy Efficiency Standards.

I, the undersigned, verify that the fenestration/glazing listed above my signature: 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-Factor and lower SHGC than that specified in the certificate of compliance (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) the product meets or exceeds the appropriate requirements for manufactured devices (from Part 6), where applicable.

Item #s (if applicable)

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

OR Window Distributor

Item #s (if applicable)

Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner

OR Window Distributor

Item #s (if applicable) Signature, Date

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner OR Window Distributor

COPY TO:

Building Department

HERS Provider (if applicable) Building Owner at Occupancy

² Installed U-Factor must be less than or equal to values from CF-1R. Installed SHGC must be less than or equal to values from CF-1R, or a shading device (exterior or overhang) is installed as specified on the CF-1R. Alternatively, installed weighted average U-Factors for the total fenestration area are less than or equal to values from CF-1R.