

**CITY OF SACRAMENTO**

1231 I Street, Sacramento, CA 95814

Permit No: 0207457

Insp Area: 1

Thos Bros: 297 D4

Site Address: 1029 K ST SAC

Parcel No: 006-0103-010

Sub-Type: ACOM

Housing (Y/N): N

**CONTRACTOR**OTTO JOHN F  
1717 2ND ST  
SACRAMENTO CA 95814**OWNER**CSAC/ STEVE OBRIEN  
1100 K ST  
SACRAMENTO CA 95814**ARCHITECT****Nature of Work:** ADDITION TO 2ND FLR MEZZANINE-FOR SEISMIC UPGRADE FOR THIS PROJECT SEE #0213761 (DEF. FIRE SPRINK AND ALARM)**CONSTRUCTION LENDING AGENCY:** I hereby affirm under penalty of perjury that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C).

Lender's Name \_\_\_\_\_

Lender's Address \_\_\_\_\_

**LICENSED CONTRACTORS DECLARATION:** I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.License Class P

License Number 178809

Date 1-9-03Contractor Signature [Signature]**OWNER-BUILDER DECLARATION:** I hereby affirm under penalty of perjury that I am exempt from the contractors License Law for the following reason (Sec. 7031.5, Business and Professions Code; any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he or she is licensed pursuant to the provisions of the Contractors License Law (Chapter 9 (commencing with Section 7000) of Division 8 of the Business and Professions Code) or that he or she is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500.00);

I, as a owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professional Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or herself or through his/her own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he/she did not build or improve for the purpose of sale.)

I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractors License Law does not apply to an owner of property who builds or improves thereon, and who contracts with a contractor(s) licensed pursuant to the Contractors License Law).

I am exempt under Sec. \_\_\_\_\_ B &amp; PC for this reason: \_\_\_\_\_

Date \_\_\_\_\_

Owner Signature \_\_\_\_\_

**IN ISSUING THIS BUILDING PERMIT,** the applicant represents, and the city relies on the representation of the applicant, that the applicant verified all measurements and locations shown on the application or accompanying drawings and that the improvement to be constructed does not violate any law or private agreement relating to permissible or prohibited locations for such improvements. This building permit does not authorize any illegal location of any improvement or the violation of any private agreement relating to location of improvements.

I certify that I have read this application and state that all information is correct. I agree to comply with all city and county ordinances and state laws relating to building construction and hereby authorize representative(s) of this city to enter upon the abovementioned property for inspection purposes.

Date 1-9-03Applicant/Agent Signature [Signature]**WORKER'S COMPENSATION DECLARATION:** I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of work for which the permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier MAJESTIC INSURANCE

Policy Number C200002519-03

Exp Date 07/01/2003

(This section need not be completed if the permit is for \$100 or less) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Date 1-9-03Applicant Signature [Signature]**WARNING:** FAILURE TO SECURE WORKER'S COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000) IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3706 OF THE LABOR CODE, INTEREST AND ATTORNEY'S FEE.**THIS PERMIT SHALL EXPIRE BY LIMITATION IF WORK IS NOT COMMENCED WITHIN 180 DAYS.**



Sacramento Regional County Sanitation District  
10545 Armstrong Ave., Ste. 101  
Mather, California  
95655

December 31, 2002  
RECEIVING FAX: 916-441-6138  
SENDING FAX: 916-876-6161

TO: City of Sacramento  
And John F. Otto  
C/o Joe Kerekgyarto

FROM: Fred R. Wingfield  
SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT

RE: SEWER FACILITY IMPACT FEES  
2<sup>nd</sup> Floor Conference Mezzanine  
1029 K Street  
Sacramento, CA 95814

APN: 006-0103-010

There are no SRCSD Sewer Facility Impact Fees required at this time for the  
"Tenant improvement" of the 2<sup>nd</sup> Floor Conference Center Mezzanine (2,600 sq. ft.)

The Tenant of the 2<sup>nd</sup> floor Conference Center Mezzanine will be required to contact  
SRCSD for appropriate impact fees.

If you have any questions regarding the above, please feel free to call me at  
876-6073.

*This fee is also subject to adjustment if the data supplied is changed.*

[www.srcsd.com/www.csd-1.com](http://www.srcsd.com/www.csd-1.com)

e-mail: [wingfieldf@sacounty.net](mailto:wingfieldf@sacounty.net)

## TECHNICAL DATA



CYRO Industries  
Rockaway,  
New Jersey 07866

# Acrylite®

ACRYLIC SHEET

## Specification Compliance

The versatility of ACRYLITE FF and ACRYLITE GP acrylic sheets is demonstrated by the variety of specifications with which they conform. Key industrial and governmental specifications and test results are shown below.

### GENERAL PURPOSE SPECIFICATIONS

Federal Specification L-P-391-D

Type I Grade C

Type II Grade C

Type I Grade B

ACRYLITE GP sheet

ACRYLITE OP-1 acrylic sheet

ACRYLITE GP P-95 acrylic sheet

Federal Specification L-P-507

Type II

ACRYLITE FF sheet

### MOTOR VEHICLE SPECIFICATIONS

ACRYLITE GP and ACRYLITE FF sheets.

Federal Motor Vehicle Safety Standard 205 Safety Glazing

ANSI Z26.1: AS-4, AS-5, AS-6, AS-7.

Federal Motor Vehicle Safety Standard 302: Flammability of Interior Materials

### BUILDING/GLAZING

ACRYLITE GP and ACRYLITE FF sheets.

Uniform Building Code (ICBO): Research Report 2158

Approved CC-2 Plastic as defined in Chapter 52

Basic Building Code (BOCA): Research Report 84-1

Approved C-2 Plastic as defined in Article 23

Standard Building Code (SBCCI): Research Report 8483

Approved CC-2 Plastic as defined in Chapter 26

The building code approvals stated above are subject to certain conditions and limitations. The Research Reports should be consulted to determine conformance of ACRYLITE sheet to specific applications.

ANSI Z97.1 Safety Glazing: .080" and greater thicknesses.

## FLAMMABILITY TEST RESULTS

The values listed below are typical of ACRYLITE FF and ACRYLITE GP sheets. Both products would perform to attain approval of classification for the model building codes:

Burning Rate: ASTM D-635 (.060")	
ACRYLITE GP sheet	1.8 in/min
ACRYLITE FF sheet	1.7 in/min
ASTM D-635 (.125")	
ACRYLITE GP sheet	1.2 in/min
ACRYLITE FF sheet	1.0 in/min
Self-Ignition Temperature: ASTM D-1929 (.060")	
ACRYLITE GP sheet	910°F
ACRYLITE FF sheet	830°F
Smoke Density Rating: ASTM D-2843	
ACRYLITE GP sheet	10.3%
ACRYLITE FF sheet	4.8%
Flame Spread Rating according to ASTM E-84	
(.125") ACRYLITE GP sheet	140
ACRYLITE FF sheet	175
(.260") ACRYLITE GP sheet	105
ACRYLITE FF sheet	115
UL 94 Flammability Rating:	94HB
ACRYLITE GP, ACRYLITE® OP-2,	
ACRYLITE® OP-4 acrylic sheet and	
ACRYLITE FF sheet	

## MISCELLANEOUS

ACRYLITE FF and ACRYLITE GP sheets are acrylic polymers and, as such, are regulated for food contact applications under 21 CFR 177.1010. They meet the requirements of this regulation for all food types except those containing more than 8% alcohol for all "use" conditions up to and including hot filled or pasteurized above 160°F, i.e., Condition C (21 CFR 176.170, Table 2).

ACRYLITE FF, ACRYLITE GP, ACRYLITE OP-2, and ACRYLITE OP-4 sheets are Underwriters Laboratories recognized components for use in Underwriters Laboratories listed products. They fall in the category QMF22-Component Plastics. The file number is E54671. Consult the most recent Underwriters "Yellow Cards" or component directory for details.

ACRYLITE GP sheet (Grade BR) (1.25") is an Underwriters Laboratories listed product for bullet-resistant glazing material for medium power small arms. File number is BP-2001.

Our Technical Service Department will be glad to offer assistance in determining the conformance of ACRYLITE acrylic sheet with specifications or codes not on the list. Since local codes vary, check regulations before using ACRYLITE sheet.

### Fire Precautions

ACRYLITE GP and ACRYLITE FF acrylic sheets are combustible thermoplastics. Precautions should be taken to protect these materials from flames and high heat sources. ACRYLITE GP and ACRYLITE FF acrylic sheets usually burn rapidly to completion if not extinguished. The products of combustion, if sufficient air is present, are carbon dioxide and water. However, in many fires sufficient air will not be available and toxic carbon monoxide will be formed, as it will from other common combustible materials. We urge good judgement in the use of these versatile materials and recommend that building codes be followed carefully to assure they are used properly.

The following combustibility data is applicable to ACRYLITE GP acrylic sheet: self-ignition temperature (ASTM D-1929) is 910°F, smoke density (ASTM D-2843) is 10.3%, rate of burning of 2mm thickness (ASTM D-635) is 4.8 cm per minute.

The following combustibility test data for ACRYLITE FF acrylic sheet is: self-ignition temperature (ASTM D-1929) is 830°F, smoke density (ASTM D-2843) is 5%, and the rate of burning for 2mm thickness (ASTM D-635) is 4.3 cm per minute.

While these data are based on small scale laboratory tests frequently referenced in various building codes, these tests do not duplicate actual fire conditions.

### Important Notice

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purposes of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.

Nothing herein is to be taken as permission, inducement, or recommendation to practice any patented invention without a license.



CYRO Industries, 25 Executive Boulevard, Orange, Connecticut 06477 Phone (203) 795-6081

# Certification of Compliance

## School District Development

### Part I—To be completed by the APPLICANT

Owner's Name/Address California State Association of Counties (CSAC) 1100 K St. Sacto, CA 95814Project Address 1029 K-StParcel Number 006 0103 010

Lot No. \_\_\_\_\_

Subdivision Name \_\_\_\_\_ No. of Units \_\_\_\_\_

Applicant's Signature John F. Otto, Inc. [Signature] Title VP/EstimatingPhone No. (916) 441-6870 Date 12/30/02

**Notice to Applicant:** Pursuant to Government Code Section 66020(d), this will serve to notify you that the 90-day approval period in which you may protest the fees or other payment identified above will begin to run on the date in which the building or installation permit for this project is issued or on which they are paid to the district(s) or to another public entity authorized to collect them on behalf of the district(s), whichever is earlier.

### Part II—To be completed by the BUILDING DEPARTMENT

Plan Identification Number 0207457Building Type (check one) ☐ Residential ☐ Apartment/Condominium ☒ Commercial/IndustrialSquare Feet of Chargeable Building Area 2600 ☒Signature/Title [Signature] Sr. Bldg Insp Date 12/30/02

### Part III—To be completed by the SCHOOL DISTRICT

School District SCUSD Certificate No. 7733☐ Exempt Comments \_\_\_\_\_

Residential/Apartment/etc. \_\_\_\_\_ Square ft. x \$ \_\_\_\_\_ = \$ \_\_\_\_\_

Commercial/Industrial 2600 Square ft. x \$ 28 = \$ 728.00Total fees collected \_\_\_\_\_ = \$ 728.00

This certification covers only the amount of square footage indicated above. Any additions or corrections to the square footage for this project will require an amendment to the Certificate of Compliance.

As the authorized school official, I hereby certify that the requirements of Government Code Section 65995 and any other authorized requirements have been complied with by the above signed applicant.

Signature [Signature] Merri E. Holdrow Date 1/6/03

White = Canary—School District • Pink—Building Department • Goldenrod—Applicant