



The Relizon Company

OD8848 Ma 1/04



INSULATION CONTRACTORS ASSOCIATION OF AMERICA



Res- # 0611094

1321 DUKE STREET, SUITE 303 • ALEXANDRIA, VA 22314 • (703) 739-0356

THIS IS TO CERTIFY THAT INSULATION HAS BEEN INSTALLED IN CONFORMANCE WITH CURRENT ENERGY REGULATIONS, CALIFORNIA ADMINISTRATIVE CODE, TITLE 24, STATE OF CALIFORNIA, IN THE BUILDING LOCATED AT:

Dr Horton LOT # 145 TRACT # Sonora Springs

STREET 1772 MAMMOTH WAY CITY Sacramento

EXTERIOR WALLS:

MANUFACTURER CT THICKNESS/TYPE 3 5/8 R-VALUE 13/19

CEILINGS:

BATTS: MANUFACTURER CT THICKNESS/TYPE 10 R-VALUE 30

BLOWN IN: MANUFACTURER CT THICKNESS 11 3/4 R-VALUE 30

SQUARE FOOTAGE COVERED 980 NUMBER OF BAGS USED 15

FLOORS: MANUFACTURER CT THICKNESS/TYPE 10 R-VALUE 30

SLAB ON GRADE: MANUFACTURER n/a THICKNESS/TYPE n/a R-VALUE n/a

WIDTH OF INSULATION n/a INCHES

FOUNDATION WALLS: MANUFACTURER n/a THICKNESS/TYPE n/a R-VALUE n/a

GENERAL CONTRACTOR CALIFORNIA CONTRACTORS LICENSE #

SIGNATURE TITLE DATE

INSULATION CONTRACTOR ALCAL ARCADE CONTRACTING CALIFORNIA CONTRACTORS LICENSE #815286 NEVADA CONTRACTORS LICENSE #0055201

Signature: Alvaro Lopez Title: Asst Super DATE

INSTALLATION CARD
WESTERN ONE STUCCO SYSTEM
SACRAMENTO STUCCO PRODUCTS CO., INC.

Job Address: 1772 Mammoth way ICBO Evaluation Services, Inc.

Builder: DR HORTON - SONORA SPRINGS Report No. 3899

Lot# 145 Date of Job Completion: 7/31/09

Plastering Contractor


Name: TOLIVER PLASTERING, INC.

Address: 3158 Luyang Dr., Rancho Cordova, CA 95742

Telephone Number: (916) 631-9844

Approved Applicator's License Number as
Issued by Western Stucco Products 507

This is to certify that the plastering system on the building exterior at the above address has been installed in accordance with the evaluation report specified above and the manufacturer's instructions.


Signature of authorized representative of plastering contractor

7/31/09
Date

Installation card must be presented to the building inspector
After completion of work and before final inspection.

No. DRH-145

INSTALLATION CERTIFICATE

CF-0R

D.R. Horton Sonora Springs - All Plans

Permit Number

Site Address 1772 MAMMOTH WAY

0611094

An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (This information provided on this form is required; however, use of this form to provide the information is optional.) After completion of final inspection a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(b)

HVAC SYSTEMS: Heating Equipment

Table with columns: Equip. Type (pkgs Heat pump), CEC Certified Mfr name and Model #, # of Identical Systems, (1) Efficiency (AFUE, etc.) > CF-IR value, Duct Location (altic, etc), Duct or Piping Heating Load R-value, Heating Capacity (Btu/hr), Plan 1 (1665) through Plan 8 (1981)

Table with columns: Equip. Type (pkgs Heat pump), CEC Certified Mfr name and Model #, # of Identical Systems, (1) Efficiency (SEER, EER, etc.) > CF-IR value, Duct Location (altic, etc), Plan 1 (1665) through Plan 8 (1981)

Table with columns: Equip. Type (pkgs Heat pump), CEC Certified Compressor Unit Mfr Name and Model #, # of Identical Systems, (1) Efficiency (SEER, EER, etc.) > CF-IR value, Duct Location (altic, etc), Cooling Load (Btu/hr), Cooling Capacity (Btu/hr), Plan 1 (1665) through Plan 8 (1981)

* = TXV valve installed w/coil

(1) > results greater than or equal to. 1, the undersigned, verify that equipment listed above is 1) the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy

Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Applicable Efficiency Regulations or Part 6), where applicable. Signature: [Signature] 12/2/06 Date: Beutler Corporation Installing Subcontractor (Co Name) OR General Contractor (Co Name) OR Owner

WATER HEATING SYSTEMS:

Table with columns: Heater Type, CEC Certified Mfr Name & Model #, Distributions Type (Std, unit of use), If Recirculation Control Type, # of Identical Systems, (1) Rated Input (kW or Btu/hr), Tank Volume (gallons), (2) Efficiency (EF RE), (3) Standby Loss (%)

(2) For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor. For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery Efficiency, Standby Loss and Rated Input. For instantaneous gas water heaters list Recovery efficiency and Rated Input

(3) R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58

Facets & Shower Heads:

All facets and showerheads installed are certified to the Commission, pursuant to Title 24, Part 6, Section 111

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy Efficiency Standards for residential buildings, and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the Applicable Efficiency Regulations or Part 6), where applicable

Signature, Date: _____ Installing Subcontractor (Co Name) OR General Contractor (Co Name) OR Owner

COPY TO Building Department HERS Provider (if applicable) Building Owner at Occupancy

01
145

INSTALLATION CERTIFICATE (Page 1 of 12) **CF-6R**

Site Address: 1772 MAMMOTH WAY Permit Number: 0611094
D.R. Horton Sooner Springs

An installation certificate is required to be posted at the building site or made available for all appropriate inspectors. (The information provided on this form is required) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner, per Section 10-103(a).

* Plans - (1, 2, 4, 6, 7)

WATER HEATING SYSTEMS:

Heater Type	CEE Certified Mfr Name & Model Number	Description (Std. Point or: Un. etc)	If Recirculation Control Type	# of Thermal Storage	Rated Input (kW or Btu/hr)	Tank Volume (gallons)	Efficiency (AFUE)	Standby Loss (MJ)	External Insulation R-value
GAS	RHEEM HAVR40HF	STD	N/A	1	40,000	50	.62	N/A	R-20

- For small gas storage (rated input of less than or equal to 75,000 Btu/hr), electric resistance and heat pump water heaters, list Energy Factor (EF). For large gas storage water heaters (rated input of greater than 75,000 Btu/hr), list Recovery (RE), Thermal Efficiency, Standby Loss and Rated Input. For instantaneous gas water heaters, list Thermal Efficiency and Rated Input.
- R-12 external insulation is mandatory for storage water heaters with an energy factor of less than 0.58.

Kitchen Piping:
 It is indicated on the CF-1R, all hot water piping \geq 3/4 inches in diameter that runs from the hot water source to the kitchen fixtures is insulated.

Faucets & Shower Heads:
 All faucets and showerheads installed are certified to the Energy Commission, pursuant to Title 24, Part 6, Section 11.1.

Central Water Heating in Buildings with Multiple Dwelling Units (required for prescriptive)

- All hot water piping in main circulating loop is insulated to requirements of §150(f)
- Central hot water systems serving six or fewer dwelling units which have (1) less than 2' of distribution piping outdoors; (2) zero distribution piping underground; (3) no recirculation pump; and (4) insulation on distribution piping that meets the requirements of Section 150(f)
- Central hot water systems serving more than 6 dwelling units - presence of either a time control or a temperature control

I, the undersigned, verify that equipment listed above my signature is: 1) the actual equipment installed, 2) equivalent to or more efficient than that specified in the certificate or compliances (Form CF-1R) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) equipment that meets or exceeds the appropriate requirements for manufactured devices (from the *Appliance Efficiency Regulations* of Part 6), where applicable.

Installing Subcontractor (Co. Name) OR General Contractor (Co. Name) OR Owner	<u>J.R. Pierce Plumbing Co.</u>
Signature: <u>Tyran Cleavel</u>	Date: <u>4/16/08</u>

Copies to: BUILDING DEPARTMENT, HERE LATER (IF APPLICABLE) BUILDING OWNER AT OCCUPANCY

INSTALLATION CERTIFICATE

Site Address: PAGA 2 1772 MAMMOTH WAY Permit Number: 0611094
 An installation certificate is required to be posted at the building site or made available for all appropriate inspections. (The information provided on this form is required) After completion of final inspection, a copy must be provided to the building department (upon request) and the building owner at occupancy, per Section 10-103(a).

FENESTRATION/GLAZING:

	Manufacturer/Brand Name (GROUP LIKE PRODUCTS)	Product U-factor ¹ (≤ CF-IR value) ²	Product SHGC ¹ (≤ CF-IR value) ²	# of Panels	Total Quantity of Like Product (Component)	Area Square Feet	Exterior Shading Device or Overhang	Comments/Location/ Special Feature
1.	10340 RW	1.33				172		
2.	6240 SH	1.34				102		
3.	Shed 90	1.33				48		
4.								
5.								
6.								
7.								
8.								
9.								
10.								
11.								
12.								
13.								
14.								
15.								

¹ Use values from a fenestration product's NFRC label. For fenestration products without an NFRC label, use the default values from Section 116 of the Energy Efficiency Standards.
² Installed U-factor must be less than or equal to values from CF-IR. Installed SHGC must be less than or equal to values from CF-IR, or a shading device (exterior or overhang) is installed as specified on the CF-IR. Alternatively, installed weighted average U-factors for the total fenestration area are less than or equal to values from CF-IR. If using default table SHGC values from § 116 identify whether tinted or not.

1, the undersigned, verify that the fenestration/glazing listed above my signature; 1) is the actual fenestration product installed; 2) is equivalent to or has a lower U-factor and lower SHGC than that specified in the certificate of compliance (Form CF-IR) submitted for compliance with the Energy Efficiency Standards for residential buildings; and 3) the product meets or exceeds the appropriate requirements for manufactured devices (from Part 6), where applicable.

3 Ashley Burt 3/17/08 MP/John 4/1/08
 Item #s Signature Date
 (if applicable) Installing Subcontractor (Co. Name) OR
 General Contractor (Co. Name) OR Owner
 OR Window Distributor

Item #s Signature Date
 (if applicable) Installing Subcontractor (Co. Name) OR
 General Contractor (Co. Name) OR Owner
 OR Window Distributor

Item #s Signature Date
 (if applicable) Installing Subcontractor (Co. Name) OR
 General Contractor (Co. Name) OR Owner
 OR Window Distributor

COPY TO: Building Department
 HERS Rater (if applicable)
 Building Owner at Occupancy

Residential Compliance Forms

March 2005